

# Trac Installation Guide for 1.0

## Error: Macro TracGuideToc(None) failed

```
'NoneType' object has no attribute 'find'
```

Trac is written in the Python programming language and needs a database, [?SQLite](#), [?PostgreSQL](#), or [?MySQL](#). For HTML rendering, Trac uses the [?Genshi](#) templating system.

Since version 0.12, Trac can also be localized, and there's probably a translation available for your language. If you want to be able to use the Trac interface in other languages, then make sure you have installed the optional package [Babel](#). Pay attention to the extra steps for localization support in the [Installing Trac](#) section below. Lacking Babel, you will only get the default english version, as usual.

If you're interested in contributing new translations for other languages or enhance the existing translations, then please have a look at [?TracL10N](#).

What follows are generic instructions for installing and setting up Trac and its requirements. While you may find instructions for installing Trac on specific systems at [?TracInstallPlatforms](#) on the main Trac site, please be sure to **first read through these general instructions** to get a good understanding of the tasks involved.

## Installation Steps

1. [Dependencies](#)
  1. [Mandatory Dependencies](#)
  2. [Optional Dependencies](#)
2. [Installing Trac](#)
  1. [Using easy install](#)
  2. [Using pip](#)
  3. [From source](#)
  4. [Advanced Options](#)
3. [Creating a Project Environment](#)
4. [Deploying Trac](#)
  1. [Running the Standalone Server](#)
  2. [Running Trac on a Web Server](#)
5. [Configuring Authentication](#)
6. [Granting admin rights to the admin user](#)
7. [Finishing the install](#)
  1. [Automatic reference to the SVN changesets in Trac tickets](#)
  2. [Using Trac](#)

## Dependencies

### Mandatory Dependencies

To install Trac, the following software packages must be installed:

- [?Python](#), version  $\geq 2.5$  and  $< 3.0$  (note that we dropped the support for Python 2.4 in this release)
- [?setuptools](#), version  $\geq 0.6$ , or better yet, [?distribute](#)
- [?Genshi](#), version  $\geq 0.6$  (unreleased version 0.7dev should work as well)

You also need a database system and the corresponding python bindings. The database can be either SQLite, PostgreSQL or MySQL.

## For the SQLite database

As you must be using Python 2.5, 2.6 or 2.7, you already have the SQLite database bindings bundled with the standard distribution of Python (the `sqlite3` module).

However, if you'd like, you can download the latest and greatest version of [?Pysqlite](#) from [?google code](#), where you'll find the Windows installers or the `tar.gz` archive for building from source:

```
$ tar xvfz <version>.tar.gz
$ cd <version>
$ python setup.py build_static install
```

This will download the latest SQLite code and build the bindings.

SQLite 2.x is no longer supported.

A known bug PySqlite? versions 2.5.2-4 prohibits upgrade of trac databases from 0.11.x to 0.12. Please use versions 2.5.5 and newer or 2.5.1 and older. See #9434 for more detail.

See additional information in [?PySqlite](#).

## For the PostgreSQL database

You need to install the database and its Python bindings:

- [?PostgreSQL](#), version 8.0 or later
- [?psycopg2](#)

See [?DatabaseBackend](#) for details.

## For the MySQL database

Trac can now work quite well with MySQL, provided you follow the guidelines.

- [?MySQL](#), version 5.0 or later
- [?MySQLdb](#), version 1.2.2 or later

It is **very** important to read carefully the [?MySQLDb](#) page before creating the database.

## Optional Dependencies

### Version Control System

#### Subversion

- [?Subversion](#), 1.5.x or 1.6.x and the *corresponding* Python bindings. Older versions starting from 1.0, like 1.2.4, 1.3.2 or 1.4.2, etc. should still work. For troubleshooting information, check the [?TracSubversion](#) page.

There are [?pre-compiled SWIG bindings](#) available for various platforms. (Good luck finding precompiled SWIG bindings for any Windows package at that listing. TracSubversion? points you to [?Algazam](#), which works for me

### Mandatory Dependencies

under Python 2.6.)

Note that Trac **doesn't** use [?PySVN](#), neither does it work yet with the newer `ctype`-style bindings.

**Please note:** if using Subversion, Trac must be installed on the **same machine**. Remote repositories are currently [?not supported](#).

## Others

Support for other version control systems is provided via third-parties. See [?PluginList](#) and [?VersionControlSystem](#).

## Web Server

A web server is optional because Trac is shipped with a server included, see the [Running the Standalone Server](#) section below.

Alternatively you configure Trac to run in any of the following environments.

- [?Apache](#) with
  - ◆ [?mod\\_wsgi](#), see [TracModWSGI](#) and [?http://code.google.com/p/modwsgi/wiki/IntegrationWithTrac](http://code.google.com/p/modwsgi/wiki/IntegrationWithTrac)
  - ◆ [?mod\\_python 3.3.1](#), deprecated: see [TracModPython](#)
- a [?FastCGI](#)-capable web server (see [TracFastCgi](#))
- an [?AJP](#)-capable web server (see [?TracOnWindowsIisAjp](#))
- a CGI-capable web server (see [TracCgi](#)), **but usage of Trac as a cgi script is highly discouraged**, better use one of the previous options.

## Other Python Packages

- [?Babel](#), version  $\geq 0.9.5$ , needed for localization support (unreleased version 1.0dev should work as well)
- [?docutils](#), version  $\geq 0.3.9$  for [WikiRestructuredText](#).
- [?Pygments](#) for [syntax highlighting](#). [?SilverCity](#) and/or [?Enscript](#) may still be used but are deprecated and you really should be using Pygments.
- [?pytz](#) to get a complete list of time zones, otherwise Trac will fall back on a shorter list from an internal time zone implementation.

**Attention:** The various available versions of these dependencies are not necessarily interchangeable, so please pay attention to the version numbers above. If you are having trouble getting Trac to work please double-check all the dependencies before asking for help on the [?MailingList](#) or [?IrcChannel](#).

Please refer to the documentation of these packages to find out how they are best installed. In addition, most of the [?platform-specific instructions](#) also describe the installation of the dependencies. Keep in mind however that the information there *probably concern older versions of Trac than the one you're installing* (there are even some pages that are still talking about Trac 0.8!).

# Installing Trac

## Using `easy_install`

One way to install Trac is using [?setuptools](#). With `setuptools` you can install Trac from the subversion repository;

A few examples:

- install Trac 1.0:

```
easy_install Trac==1.0
```

(NOT YET ENABLED)

- install latest development version 1.0dev:

```
easy_install Trac==dev
```

Note that in this case you won't have the possibility to run a localized version of Trac; either use a released version or install from source

## Using pip

'pip' is an `easy_install` replacement that is very useful to quickly install python packages. To get a trac installation up and running in less than 5 minutes:

Assuming you want to have your entire pip installation in `/opt/user/trac`

- ```
pip -E /opt/user/trac install trac pycopg2
```

or

- ```
pip -E /opt/user/trac install trac mysql-python
```

Make sure your OS specific headers are available for pip to automatically build PostgreSQL (`libpq-dev`) or MySQL (`libmysqlclient-dev`) bindings.

pip will automatically resolve all dependencies (like Genshi, pygments, etc.) and download the latest packages on `pypi.python.org` and create a self contained installation in `/opt/user/trac`.

All commands (`tracd`, `trac-admin`) are available in `/opt/user/trac/bin`. This can also be leveraged for `mod_python` (using `PythonHandler` directive) and `mod_wsgi` (using `WSGIDaemonProcess` directive)

Additionally, you can install several trac plugins (listed [?here](#)) through pip.

## From source

Of course, using the python-typical setup at the top of the source directory also works.

You can obtain the source for a `.tar.gz` or `.zip` file corresponding to a release (e.g. `Trac-1.0.tar.gz`), or you can get the source directly from the repository (see `Trac:SubversionRepository` for details).

```
$ python ./setup.py install
```

*You'll need root permissions or equivalent for this step.*

This will byte-compile the python source code and install it as an `.egg` file or folder in the `site-packages` directory of your Python installation. The `.egg` will also contain all other resources needed by standard Trac, such as `htdocs` and `templates`.

The script will also install the `trac-admin` command-line tool, used to create and maintain project environments, as well as the `tracd` standalone server.

If you install from source and want to make Trac available in other languages, make sure Babel is installed. Only then, perform the `install` (or simply redo the `install` once again afterwards if you realize Babel was not yet installed):

```
$ python ./setup.py install
```

Alternatively, you can do a `bdist_egg` and copy the `.egg` from `dist/` to the place of your choice, or you can create a Windows installer (`bdist_wininst`).

## Advanced Options

To install Trac to a custom location, or find out about other advanced installation options, run:

```
easy_install --help
```

Also see [?Installing Python Modules](#) for detailed information.

Specifically, you might be interested in:

```
easy_install --prefix=/path/to/installdir
```

or, if installing Trac to a Mac OS X system:

```
easy_install --prefix=/usr/local --install-dir=/Library/Python/2.5/site-packages
```

Note: If installing on Mac OS X 10.6 running `easy_install` <http://svn.edgewall.org/repos/trac/trunk> will install into `/usr/local` and `/Library/Python/2.6/site-packages` by default

The above will place your `tracd` and `trac-admin` commands into `/usr/local/bin` and will install the Trac libraries and dependencies into `/Library/Python/2.5/site-packages`, which is Apple's preferred location for third-party Python application installations.

## Creating a Project Environment

A [Trac environment](#) is the backend storage where Trac stores information like wiki pages, tickets, reports, settings, etc. An environment is basically a directory that contains a human-readable [configuration file](#), and various other files and directories.

A new environment is created using [trac-admin](#):

```
$ trac-admin /path/to/myproject initenv
```

[trac-admin](#) will prompt you for the information it needs to create the environment, such as the name of the project and the [database connection string](#). If you're not sure what to specify for one of these options, just press `<Enter>` to use the default value.

Using the default database connection string in particular will always work as long as you have SQLite installed. For the other database backends? you should plan ahead and already have a database ready to use at this point.

Since 0.12, Trac doesn't ask for a [source code repository](#) anymore when creating an environment. Repositories can be [added](#) afterward, or the version control support can be disabled completely if you don't need it.

Also note that the values you specify here can be changed later by directly editing the [conf/trac.ini](#) configuration file.

Finally, make sure the user account under which the web front-end runs will have **write permissions** to the environment directory and all the files inside. This will be the case if you run `trac-admin ... initenv` as this user. If not, you should set the correct user afterwards. For example on Linux, with the web server running as user `apache` and group `apache`, enter:

```
# chown -R apache.apache /path/to/myproject
```

**Warning:** Please only use ASCII-characters for account name and project path, unicode characters are not supported there.

## Deploying Trac

### Running the Standalone Server

After having created a Trac environment, you can easily try the web interface by running the standalone server `tracd`:

```
$ tracd --port 8000 /path/to/myproject
```

Then, fire up a browser and visit `http://localhost:8000/`. You should get a simple listing of all environments that `tracd` knows about. Follow the link to the environment you just created, and you should see Trac in action. If you only plan on managing a single project with Trac you can have the standalone server skip the environment list by starting it like this:

```
$ tracd -s --port 8000 /path/to/myproject
```

### Running Trac on a Web Server

Trac provides various options for connecting to a "real" web server:

- [FastCGI](#)
- [mod\\_wsgi](#)
- [mod\\_python](#) (*no longer recommended, as mod\_python is not actively maintained anymore*)
- [CGI](#) (*should not be used, as the performance is far from optimal*)

Trac also supports [?AJP](#) which may be your choice if you want to connect to IIS. Other deployment scenarios are possible: [?nginx](#), [?uwsgi](#), [?Isapi-wsgi](#) etc.

### Generating the Trac cgi-bin directory

In order for Trac to function properly with FastCGI you need to have a `trac.fcgi` file and for `mod_wsgi` a `trac.wsgi` file. These are Python scripts which load the appropriate Python code. They can be generated using the `deploy` option of [trac-admin](#).

There is, however, a bit of a chicken-and-egg problem. The [trac-admin](#) command requires an existing environment to function, but complains if the deploy directory already exists. This is a problem, because environments are often stored in a subdirectory of the deploy. The solution is to do something like this:

```
mkdir -p /usr/share/trac/projects/my-project
trac-admin /usr/share/trac/projects/my-project initenv
trac-admin /usr/share/trac/projects/my-project deploy /tmp/deploy
```

```
mv /tmp/deploy/* /usr/share/trac
```

## Mapping Static Resources

Out of the box, Trac will pass static resources such as style sheets or images through itself. For anything but a tracd only based deployment, this is far from optimal as the web server could be set up to directly serve those static resources (for CGI setup, this is **highly undesirable** and will cause abysmal performance).

Web servers such as [Apache](#) allow you to create *Aliases* to resources, giving them a virtual URL that doesn't necessarily reflect the layout of the servers file system. We also can map requests for static resources directly to the directory on the file system, avoiding processing these requests by Trac itself.

There are two primary URL paths for static resources - `/chrome/common` and `/chrome/site`. Plugins can add their own resources, usually accessible by `/chrome/<plugin>` path, so its important to override only known paths and not try to make universal `/chrome` alias for everything.

Note that in order to get those static resources on the filesystem, you need first to extract the relevant resources from Trac using the `trac-admin <environment> deploy` command:

```
deploy <directory>

    Extract static resources from Trac and all plugins
```

The target `<directory>` will then contain an `htdocs` directory with:

- `site/` - a copy of the environment's `htdocs` directory
- `common/` - the static resources of Trac itself
- `<plugins>/` - one directory for each resource directory managed by the plugins enabled for this environment

### Example: Apache and ScriptAlias

Assuming the deployment has been done this way:

```
$ trac-admin /var/trac/env deploy /path/to/trac/htdocs/common
```

Add the following snippet to Apache configuration *before* the `ScriptAlias` or `WSGIScriptAlias` (which map all the other requests to the Trac application), changing paths to match your deployment:

```
Alias /trac/chrome/common /path/to/trac/htdocs/common
Alias /trac/chrome/site /path/to/trac/htdocs/site

<Directory "/path/to/www/trac/htdocs">
    Order allow,deny
    Allow from all
</Directory>
```

If using `mod_python`, you might want to add this too (otherwise, the alias will be ignored):

```
<Location "/trac/chrome/common/">
    SetHandler None
</Location>
```

Note that we mapped `/trac` part of the URL to the `trac.*cgi` script, and the path `/trac/chrome/common` is the path you have to append to that location to intercept requests to the static resources.

Similarly, if you have static resources in a project's `htdocs` directory (which is referenced by `/trac/chrome/site` URL in themes), you can configure Apache to serve those resources (again, put this *before* the `ScriptAlias` or `WSGIScriptAlias` for the `.*cgi` scripts, and adjust names and locations to match your installation):

```
Alias /trac/chrome/site /path/to/projectenv/htdocs

<Directory "/path/to/projectenv/htdocs">
    Order allow,deny
    Allow from all
</Directory>
```

Alternatively to aliasing `/trac/chrome/common`, you can tell Trac to generate direct links for those static resources (and only those), using the `[trac] htdocs_location` configuration setting:

```
[trac]
htdocs_location = http://static.example.org/trac-common/
```

Note that this makes it easy to have a dedicated domain serve those static resources (preferentially [?cookie-less](#)).

Of course, you still need to make the Trac `htdocs/common` directory available through the web server at the specified URL, for example by copying (or linking) the directory into the document root of the web server:

```
$ ln -s /path/to/trac/htdocs/common /var/www/static.example.org/trac-common
```

## Setting up the Plugin Cache

Some Python plugins need to be extracted to a cache directory. By default the cache resides in the home directory of the current user. When running Trac on a Web Server as a dedicated user (which is highly recommended) who has no home directory, this might prevent the plugins from starting. To override the cache location you can set the `PYTHON_EGG_CACHE` environment variable. Refer to your server documentation for detailed instructions on how to set environment variables.

## Configuring Authentication

Trac uses HTTP authentication. You'll need to configure your webserver to request authentication when the `.../login` URL is hit (the virtual path of the "login" button). Trac will automatically pick the `REMOTE_USER` variable up after you provide your credentials. Therefore, all user management goes through your web server configuration. Please consult the documentation of your web server for more info.

The process of adding, removing, and configuring user accounts for authentication depends on the specific way you run Trac.

Please refer to one of the following sections:

- [TracStandalone#UsingAuthentication](#) if you use the standalone server, `tracd`.
- [TracModWSGI#ConfiguringAuthentication](#) if you use the Apache web server, with any of its front end: `mod_wsgi` of course, but the same instructions applies also for `mod_python`, `mod_fcgi` or `mod_fastcgi`.
- [TracFastCgi](#) if you're using another web server with FCGI support (Cherokee, Lighttpd, LiteSpeed, nginx)

## Granting admin rights to the admin user

Grant admin rights to user admin:

Example: Apache and ScriptAlias



```
$ trac-admin /path/to/myproject permission add admin TRAC_ADMIN
```

This user will have an "Admin" entry menu that will allow you to admin your trac project.

## Finishing the install

### Automatic reference to the SVN changesets in Trac tickets

You can configure SVN to automatically add a reference to the changeset into the ticket comments, whenever changes are committed to the repository. The description of the commit needs to contain one of the following formulas:

- **Refs #123** - to reference this changeset in #123 ticket
- **Fixes #123** - to reference this changeset and close #123 ticket with the default status *fixed*

This functionality requires a post-commit hook to be installed as described in [TracRepositoryAdmin](#), and enabling the optional commit updater components by adding the following line to the `[components]` section of your `trac.ini`, or enabling the components in the "Plugins" admin panel.

```
tracopt.ticket.commit_updater.* = enabled
```

For more information, see the documentation of the `CommitTicketUpdater` component in the "Plugins" admin panel.

## Using Trac

Once you have your Trac site up and running, you should be able to create tickets, view the timeline, browse your version control repository if configured, etc.

Keep in mind that *anonymous* (not logged in) users can by default access only a few of the features, in particular they will have a read-only access to the resources. You will need to configure authentication and grant additional [permissions](#) to authenticated users to see the full set of features.

*Enjoy!*

[?The Trac Team](#)

---

See also: [?TracInstallPlatforms](#), [TracGuide](#), [TracUpgrade](#), [TracPermissions](#)