

Syntax Coloring of Source Code

Trac supports language-specific syntax highlighting of source code within [wiki processors](#) blocks and in the [repository browser](#). Syntax coloring is provided using [Pygments](#), which covers a wide range of programming languages and other structured texts, and is actively supported. If Pygments is not available, Trac will display the content as plain text.

About Pygments

[Pygments](#) is a highlighting library implemented in pure python, very fast, easy to extend and [well documented](#).

The Pygments default style can be specified in the [mime-viewer](#) section of trac.ini. The default style can be overridden by setting a *Style* preference on the [preferences page](#).

[Pygments lexer](#) options can be specified as [WikiProcessor](#) arguments and defaults can be set in the [environment configuration](#).

Syntax Coloring Support

Supported languages

The list of currently supported languages can be found on the [supported languages](#) page. The list represents the languages supported in the most recent version of Pygments, so the languages actually supported in your installation could differ if you have an older version installed. The listing of [supported lexers](#) provides additional information about the default mime type to keyword mappings.

Explicit control of the mime type associated with a [WikiProcessor](#) and file extension is available through the `mime_map` setting. For example, by default `.m` files are considered Objective-C files. In order to treat `.m` files as MATLAB files, add `text/matlab:m` to the [mimeviewer](#) `mime_map` option.

If a `mimetype` property such as `svn:mime-type` is set to `text/plain`, there is no coloring even if file is known type like `java`.

Direct Rendering

Rich content may be directly *rendered* instead of syntax highlighted. This usually depends on which auxiliary packages are installed and which components are activated in your setup. For example, a `text/x-rst` document will be rendered via `docutils` if it is installed and the `trac.mimeview.rst.ReStructuredTextRenderer` is not disabled. It will be syntax highlighted otherwise.

Similarly, a document with the `mimetype text/x-trac-wiki` is rendered using the Trac wiki formatter, unless the `trac.mimeview.api.WikiTextRenderer` component is disabled. If you want to ensure that an HTML document gets syntax highlighted and not rendered, use the `text/xml` `mimetype`.

HTML documents are directly rendered only if the `render_unsafe_html` settings are enabled in your [TracIni](#) file. See [attachment](#) [render_unsafe_content](#), [browser](#) [render_unsafe_content](#) and [wiki](#) [render_unsafe_content](#). The setting is present in multiple sections because there are different security concerns depending on where the document comes from.

Known MIME types

MIME Types	<u>WikiProcessors</u>
application/atom+xml	xml
application/json	json
application/json-object	json-object
application/kal	kal
application/ld+json	json-ld jsonld
application/msword	doc dot
application/pdf	pdf
application/postscript	postscr postscript ps
application/rss+xml	rss
application/rtf	rtf
application/sparql-query	sparql
application/vnd.wolfram.cdf	mathematica mma nb
application/x-awk	awk gawk mawk nawk
application/x-befunge	befunge
application/x-brainfuck	bf brainfuck
application/x-chaiscript	chai chaiscript
application/x-clojure	clj clojure
application/x-clojurescript	cljs clojurescript
application/x-coldfusion	cfm
application/x-csh	csh tcsh
application/x-cython	cython pyrex pyx
application/x-dos-batch	bat batch cmd dos dosbatch winbatch
application/x-ecl	ecl
application/x-elisp	elisp emacs emacs-lisp
application/x-evoque	evoque
application/x-fantom	fan
application/x-fish	fish fishshell
application/x-forth	forth
application/x-gooddata-maql	maql
application/x-httpd-lasso [89]	html+lasso
application/x-httpd-php5	html+php
application/x-hy	hylang
application/x-hybris	hy hybris
application/x-jinja	django jinja
application/x-jsp	jsp
application/x-julia	j1 julia
application/x-kid	genshi kid xml+genshi xml+kid
application/x-lua	lua
application/x-mako	mako
application/x-mason	mason
application/x-moonscript	moon moonscript

MIME Types

WikiProcessors

application/x-myghty	myghty
application/x-newlisp	newlisp
application/x-openedge	abl openedge progress
application/x-perl	perl pl
application/x-perl6	perl6 pl6
application/x-pygments-tokens	raw
application/x-pypylog	pypy pypylog
application/x-python2	py2 python2
application/x-python3	py py3 python python3 sage
application/x-qt.qbs+qml	qbs qml
application/x-racket	racket rkt
application/x-ruby	duby rb ruby
application/x-ruby-templating	erb
application/x-sas	sas
application/x-scheme	scheme scm
application/x-sh-session	console shell-session
application/x-shen	shen
application/x-smarty	smarty
application/x-spitfire	cheetah spitfire
application/x-ssp	ssp
application/x-standardml	sml
application/x-stata	do stata
application/x-tcl	tcl
application/x-terraform	terraform tf
application/x-thrift	thrift
application/x-troff	roff troff
application/x-turtle	turtle
application/x-twig	twig
application/x-urbiscript	urbiscript
application/x-yaml	yml
application/xhtml+xml	html
application/xml+evoque	xml+evoque
application/xml+jinja	xml+django xml+jinja
application/xml+lasso	xml+lasso
application/xml+mako	xml+mako
application/xml+myghty	xml+myghty
application/xml+php	xml+php
application/xml+ruby	xml+erb xml+ruby
application/xml+smarty	xml+smarty
application/xml+spitfire	xml+cheetah xml+spitfire
application/xml+velocity	xml+velocity
application/xml-dtd	dtd
application/xquery	xq xql xqm xquery xqy

MIME Types

WikiProcessors

application/xsl+xml	xsl
application/xslt+xml	xslt
image/svg+xml	svg
image/x-icon	ico
message/rfc822	email eml
model/vrml	vrml wrl
multipart/alternative	mime
text/actionscript	actionscript as
text/actionscript3	actionscript3 as3
text/basic	basic qbasic
text/coffeescript	coffee coffee-script coffeescript
text/css	css
text/css+genshi	css+genshi css+genshitext
text/css+jinja	css+django css+jinja
text/css+lasso	css+lasso
text/css+mako	css+mako
text/css+myghty	css+myghty
text/css+php	css+php
text/css+ruby	css+erb css+ruby
text/css+smarty	css+smarty
text/gettext	po pot
text/html	htm
text/html+evoque	html+evoque
text/html+genshi	html+genshi html+kid
text/html+jinja	html+django html+jinja htmdldjango
text/html+mako	html+mako
text/html+myghty	html+myghty
text/html+ruby	html+erb html+ruby rhtml
text/html+smarty	html+smarty
text/html+spitfire	html+cheetah html+spitfire htmlcheetah
text/html+twig	html+twig
text/html+velocity	html+velocity
text/idl	idl
text/inf	cfg dosini ini
text/ipf	igor igorpro
text/javascript	javascript js
text/javascript+genshi	javascript+genshi javascript+genshitext js+genshi js+genshitext
text/javascript+jinja	javascript+django javascript+jinja js+django js+jinja
text/javascript+lasso	javascript+lasso js+lasso
text/javascript+mako	javascript+mako js+mako
text/javascript+mygthy	javascript+myghty js+myghty

MIME Types

WikiProcessors

text/javascript+php	javascript+php js+php
text/javascript+ruby	javascript+erb javascript+ruby js+erb js+ruby
text/javascript+smarty	javascript+smarty js+smarty
text/javascript+spitfire	javascript+cheetah javascript+spitfire js+cheetah js+spitfire
text/jsgf	jsgf
text/juttle	juttle
text/limbo	limbo
text/livescript	live-script livescript
text/matlab	matlab
text/ncl	ncl
text/octave	octave
text/odin	odin
text/plain	AUTHORS COPYING ChangeLog INSTALL README RELEASE TXT text txt
text/prs.fallenstein.rst	rest restructuredtext rst
text/rsl	rsl
text/rust	rs rust
text/scilab	scilab
text/shex	shex shexc
text/smali	smali
text/supercollider	sc supercollider
text/swig	swig
text/troff	groff man nroff
text/unicon	unicon
text/x-abap	abap
text/x-abnf	abnf
text/x-ada	ada ada2005 ada95 adb ads
text/x-agda	agda
text/x-alloy	alloy
text/x-ambienttalk	ambienttalk ambienttalk/2 at
text/x-apacheconf	aconf apache apacheconf
text/x-arduino	arduino
text/x-asp	asp
text/x-aspectj	aspectj
text/x-asymptote	asy asymptote
text/x-autohotkey	ahk autohotkey
text/x-autoit	autoit
text/x-bb	b3d blitzbasic bplus
text/x-bbcode	bbcode
text/x-bibtex	bib bibtex
text/x-bmx	blitzmax bmax
text/x-bnf	bnf

MIME Types

WikiProcessors

text/x-boo	boo
text/x-c++hdr	H HH c++hdr hh hpp
text/x-c++src	C C++ CC c++ c++src cc cpp
text/x-c-objdump	c-objdump
text/x-ceylon	ceylon
text/x-chdr	chdr h
text/x-cirru	cirru
text/x-clay	clay
text/x-cmake	cmake
text/x-cobol	cobol
text/x-common-lisp	cl common-lisp lisp
text/x-component-pascal	componentpascal cp
text/x-coq	coq
text/x-cpp-objdump	c++-objdumb cpp-objdump cxx-objdump
text/x-crocsrc	croc
text/x-cryptol	cry cryptol
text/x-crystal	cr crystal
text/x-csharp	C# c# cs csharp
text/x-csrc	c csrc xs
text/x-cuda	cu cuda
text/x-d-objdump	d-objdump
text/x-dart	dart
text/x-dasm16	dasm16
text/x-dg	dg
text/x-diff	patch
text/x-dockerfile-config	docker dockerfile
text/x-dsrc	d
text/x-dylan	dylan
text/x-dylan-console	dylan-console dylan-repl
text/x-dylan-lid	dylan-lid lid
text/x-earl-grey	earl-grey earlgrey eg
text/x-easytrieve	easytrieve
text/x-ebnf	ebnf
text/x-ecsrc	ec
text/x-eiffel	e eiffel
text/x-elisp	el
text/x-elixir	elixir ex exs
text/x-elixir-shellsession	iex
text/x-elm	elm
text/x-erl-shellsession	erl
text/x-erlang	erlang
text/x-ezhil	ezhil
text/x-factor	factor

MIME Types

WikiProcessors

text/x-fancysrc	fancy fy
text/x-felix	felix flx
text/x-flatline	flatline
text/x-fortran	f fortran
text/x-freefem	freefem
text/x-fsharp	f# fsharp
text/x-gas	asm gas
text/x-genshi	genshitext
text/x-gherkin	cucumber gherkin
text/x-glslsrc	glsl
text/x-gnuplot	gnuplot
text/x-gooddata-cl	gooddata-cl
text/x-gosrc	go
text/x-gosu	gosu
text/x-gosu-template	gst
text/x-groovy	groovy
text/x-haml	haml
text/x-handlebars-template	html+handlebars
text/x-haskell	haskell hs
text/x-hlsl	hlsl
text/x-hsail	hsa hsail
text/x-hx	haxe hx hxsl
text/x-idl	ice
text/x-idris	idr idris
text/x-inf	inf
text/x-iokesrc	ik ioke
text/x-iosrc	io
text/x-irclog	irc
text/x-isabelle	isabelle
text/x-j	j
text/x-jade	jade pug
text/x-java	java
text/x-java-properties	jproperties properties
text/x-jbst	duel jbst jsonml+bst
text/x-jcl	jcl
text/x-kconfig	kconfig kernel-config linux-config menuconfig
text/x-koka	koka
text/x-kotlin	kotlin
text/x-lasso	lasso lassoscript
text/x-latex	latex tex
text/x-lean	lean
text/x-less-css	less
text/x-lighttpd-conf	lighttpd lighty

MIME Types

WikiProcessors

text/x-literate-agda	lagda literate-agda
text/x-literate-cryptol	lcry lcryptol literate-cryptol
text/x-literate-haskell	lhaskell lhs literate-haskell
text/x-literate-idris	lidr lidris literate-idris
text/x-llvm	llvm
text/x-logos	logos
text/x-logtalk	logtalk
text/x-lsl	lsl
text/x-m4	m4
text/x-mail	mail
text/x-makefile	GNUMakefile Makefile bsdmake make makefile mf mk
text/x-markdown	md
text/x-mask	mask
text/x-minidsrc	minid
text/x-modelica	modelica
text/x-modula2	m2 modula2
text/x-monkey	monkey
text/x-moocode	moo moocode
text/x-mql	mq4 mq5 mql mql4 mql5
text/x-mysql	mysql
text/x-nasm	nasm
text/x-nasm-objdump	objdump-nasm
text/x-nemerle	nemerle
text/x-nescsrc	nesc
text/x-newspeak	newspeak
text/x-nginx-conf	nginx nginx-conf
text/x-nim	nim nimrod
text/x-nix	nix nixos
text/x-nsis	nsh nsi nsis
text/x-objc	m mm
text/x-objdump	objdump
text/x-objective-c	obj-c objc objective-c objectivec
text/x-objective-c++	obj-c++ objc++ objective-c++ objectivec++
text/x-objective-j	obj-j objective-j objectivej objj
text/x-ocaml	m1 mli ocaml
text/x-ooc	ooc
text/x-opa	opa
text/x-parasail	parasail
text/x-pascal	delphi objectpascal pas pascal
text/x-patch	diff udiff
text/x-pawn	pawn
text/x-perl	PL pm

MIME Types

WikiProcessors

text/x-php	php php3 php4 php5
text/x-pig	pig
text/x-pike	pike
text/x-plpgsql	plpgsql
text/x-postgresql	postgres postgresql
text/x-postgresql-psql	postgres-console postgresql-console psql
text/x-povray	pov
text/x-powershell	posh powershell ps1 psml
text/x-prolog	prolog
text/x-ppsp	ppsp
text/x-python-doctest	pycon python-doctest
text/x-python2-traceback	py2tb
text/x-python3-traceback	py3tb pytb
text/x-r-doc	rd
text/x-r-profile	r s plus
text/x-rebol	rebol
text/x-red-system	red red/system
text/x-rexx	arexx rexx
text/x-rfc	rfc
text/x-robotframework	robotframework
text/x-rpm-spec	spec
text/x-rql	rql
text/x-ruby-shellsession	irb rbcon
text/x-sarl	sarl
text/x-sass	sass
text/x-scala	scala
text/x-scaml	scaml
text/x-scss	scss
text/x-shellscript	bash ksh sh shell zsh
text/x-slim	slim
text/x-sls	salt sls yml+jinja
text/x-smalltalk	smalltalk squeak st
text/x-snobol	snobol
text/x-sourcepawn	sp
text/x-sql	sql
text/x-sqlite3-console	sqlite3
text/x-squidconf	squid squid.conf squidconf
text/x-swift	swift
text/x-systemverilog	sv systemverilog
text/x-tasm	tasm
text/x-tea	tea
text/x-teratermmacro	teraterm teratermmacro ttl
text/x-textile	textile txtl

MIME Types

text/x-todo	todotxt
text/x-trac-wiki	moin trac-wiki
text/x-tsql	t-sql tsql
text/x-typescript	ts typescript
text/x-typoscript	typoscript
text/x-vala	vala vapi
text/x-vba	bas vb vb.net vba vbnet
text/x-vclsnippet	vclsnippet vclsnippets
text/x-vclsrc	vcl
text/x-verilog	v verilog
text/x-vhdl	vhd vhdl
text/x-vim	vim
text/x-whiley	whiley
text/x-windows-registry	registry
text/x-x10	x10 xten
text/x-xtend	xtend
text/x-yaml	yaml
text/zig	zig

WikiProcessors

See also: [WikiProcessors](#), [WikiFormatting](#), [TracWiki](#), [TracBrowser](#)