

# Trac and mod\_wsgi

**Important note:** Please use either version 1.6, 2.4 or later of `mod_wsgi`. Versions prior to 2.4 in the 2.X branch have problems with some Apache configurations that use WSGI file wrapper extension. This extension is used in Trac to serve up attachments and static media files such as style sheets. If you are affected by this problem attachments will appear to be empty and formatting of HTML pages will appear not to work due to style sheet files not loading properly. See `mod_wsgi` tickets [?#100](#) and [?#132](#).

`mod_wsgi` is an Apache module for running WSGI-compatible Python applications directly on top of Apache. The `mod_wsgi` adapter is written completely in C and provides significantly better performance than using existing WSGI adapters for `mod_python` or CGI.

Trac can be run on top of `mod_wsgi` with the help of the following application script, which is just a Python file, though usually saved with a `.wsgi` extension). This file can be created using `trac-admin <env> deploy <dir>` command which automatically substitutes required paths.

```
import os

os.environ['TRAC_ENV'] = '/usr/local/trac/mysite'
os.environ['PYTHON_EGG_CACHE'] = '/usr/local/trac/mysite/eggs'

import trac.web.main
application = trac.web.main.dispatch_request
```

The `TRAC_ENV` variable should naturally be the directory for your Trac environment (if you have several Trac environments in a directory, you can also use `TRAC_ENV_PARENT_DIR` instead), while the `PYTHON_EGG_CACHE` should be a directory where Python can temporarily extract Python eggs.

**Important note:** If you're using multiple `.wsgi` files (for example one per Trac environment) you must *not* use `os.environ['TRAC_ENV']` to set the path to the Trac environment. Using this method may lead to Trac delivering the content of another Trac environment. (The variable may be filled with the path of a previously viewed Trac environment.) To solve this problem, use the following `.wsgi` file instead:

```
import os

os.environ['PYTHON_EGG_CACHE'] = '/usr/local/trac/mysite/eggs'

import trac.web.main
def application(environ, start_response):
    environ['trac.env_path'] = '/usr/local/trac/mysite'
    return trac.web.main.dispatch_request(environ, start_response)
```

For clarity, you should give this file a `.wsgi` extension. You should probably put the file in it's own directory, since you will open up its directory to Apache. You can create a `.wsgi` files which handles all this for you by running the [TracAdmin](#) command `deploy`.

If you have installed trac and eggs in a path different from the standard one you should add that path by adding the following code on top of the `wsgi` script:

```
import site
site.addsitedir('/usr/local/trac/lib/python2.4/site-packages')
```

Change it according to the path you installed the trac libs at.

After you've done preparing your `wsgi`-script, add the following to your `httpd.conf`.

```

WSGIScriptAlias /trac /usr/local/trac/mysite/apache/mysite.wsgi

<Directory /usr/local/trac/mysite/apache>
    WSGIApplicationGroup %{GLOBAL}
    Order deny,allow
    Allow from all
</Directory>

```

Here, the script is in a subdirectory of the Trac environment. In order to let Apache run the script, access to the directory in which the script resides is opened up to all of Apache. Additionally, the `WSGIApplicationGroup` directive ensures that Trac is always run in the first Python interpreter created by `mod_wsgi`; this is necessary because the Subversion Python bindings, which are used by Trac, don't always work in other subinterpreters and may cause requests to hang or cause Apache to crash as a result. After adding this configuration, restart Apache, and then it should work.

To test the setup of Apache, `mod_wsgi` and Python itself (ie. without involving Trac and dependencies), this simple wsgi application can be used to make sure that requests gets served (use as only content in your `.wsgi` script):

```

def application(environ, start_response):
    start_response('200 OK', [('Content-type', 'text/html')])
    return ['<html><body>Hello World!</body></html>']

```

See also the `mod_wsgi` [?installation instructions](#) for Trac.

For troubleshooting tips, see the [mod\\_python troubleshooting](#) section, as most Apache-related issues are quite similar, plus discussion of potential [?application issues](#) when using `mod_wsgi`.

*Note: using `mod_wsgi 2.5` and `Python 2.6.1` gave an Internal Server Error on my system (`Apache 2.2.11` and `Trac 0.11.2.1`). Upgrading to `Python 2.6.2` (as suggested [?here](#)) solved this for me  
-- Graham Shanks*

## Trac with PostgreSQL

When using the `mod_wsgi` adapter with multiple Trac instances and PostgreSQL (or MySQL?) as a database back-end the server can get a lot of open database connections. (and thus PostgreSQL processes)

A workable solution is to disabled connection pooling in Trac. This is done by setting `poolable = False` in `trac.db.postgres_backend` on the `PostgreSQLConnection` class.

But it's not necessary to edit the source of trac, the following lines in `trac.wsgi` will also work:

```

import trac.db.postgres_backend
trac.db.postgres_backend.PostgreSQLConnection.poolable = False

```

Now Trac drops the connection after serving a page and the connection count on the database will be kept minimal.

## Getting Trac to work nicely with SSPI and 'Require Group'

If like me you've set Trac up on Apache, Win32 and configured SSPI, but added a 'Require group' option to your apache configuration, then the `SSPIomitDomain` option is probably not working. If its not working your usernames in trac are probably looking like 'DOMAIN\user' rather than 'user'.

This WSGI script 'fixes' things, hope it helps:

```

import os

```

```
import trac.web.main

os.environ['TRAC_ENV'] = '/usr/local/trac/mysite'
os.environ['PYTHON_EGG_CACHE'] = '/usr/local/trac/mysite/eggs'

def application(environ, start_response):
    if "\\" in environ['REMOTE_USER']:
        environ['REMOTE_USER'] = environ['REMOTE_USER'].split("\\", 1)[1]
    return trac.web.main.dispatch_request(environ, start_response)
```

---

See also: [TracGuide](#), [TracInstall](#), [FastCGI](#), [ModPython](#), [?TracNginxRecipe](#)