

Trac Macros

Contents

1. [Using Macros](#)
 1. [Getting Detailed Help](#)
2. [Available Macros](#)
3. [Contributed macros](#)
4. [Developing Custom Macros](#)
 1. [Macro without arguments](#)
 2. [Macro with arguments](#)

Trac macros extend Trac with custom functionality. Macros are a special type of plugin and are written in Python. A macro generates HTML in any context supporting [WikiFormatting](#).

The macro syntax is `[[macro-name(optional-arguments)]]`.

WikiProcessors are another kind of macro, commonly used for source code highlighting using a processor like `!#python` or `!#apache`:

```
{{{#!wiki-processor-name
...
}}}}
```

Using Macros

Macro calls are enclosed in double-square brackets `[[. .]]`. Like Python functions macros can have arguments, which take the form of a comma separated list within parentheses `[[. . (,)]]`. A common macro used is a list of the 3 most recent changes to a wiki page, or here, for example, all wiki pages starting with 'Trac':

Wiki Markup

Display

Apr 24, 2020

```
[[RecentChanges(Trac,3)]]
• TracWorkflow
  (diff)
• TracWiki
  (diff)
• TracUpgrade
  (diff)
```

Getting Detailed Help

The list of available macros and the full help can be obtained using the `MacroList` macro, see [below](#).

A brief list can be obtained via `[[MacroList(*)]]` or `[[[]]]`.

Detailed help on a specific macro can be obtained by passing it as an argument to `MacroList`, e.g. `[[MacroList(MacroList)]]`, or more conveniently, by appending a question mark (?) to the macro's name, like in `[[MacroList?]]`.

Available Macros

[[Image]]

Embed an image in wiki-formatted text.

The first argument is the file specification. The file specification may reference attachments in three ways:

- `module:id:file`, where `module` can be either **wiki** or **ticket**, to refer to the attachment named *file* of the specified wiki page or ticket.
- `id:file`: same as above, but `id` is either a ticket shorthand or a Wiki page name.
- `file` to refer to a local attachment named 'file'. This only works from within that wiki page or a ticket.

The file specification may also refer to:

- repository files, using the `source:file` syntax (`source:file@rev` works also).
- files, using direct URLs: `/file` for a project-relative, `//file` for a server-relative, or `http://server/file` for absolute location. An InterWiki prefix may be used.
- embedded data using the ?rfc2397 data URL scheme, provided the URL is enclosed in quotes.

The remaining arguments are optional and allow configuring the attributes and style of the rendered `` element:

- `digits` and `unit` are interpreted as the size (ex. `120px`, `25%`) for the image
- `right`, `left`, `center`, `top`, `bottom` and `middle` are interpreted as the alignment for the image (alternatively, the first three can be specified using `align=...` and the last three using `valign=...`)
- `link=some TracLinks...` replaces the link to the image source by the one specified using a TracLinks. If no value is specified, the link is simply removed.
- `inline` specifies that the content generated be an inline XHTML element. By default, inline content is not generated, therefore images won't be rendered in section headings and other one-line content.
- `nolink` means without link to image source (deprecated, use `link=`)
- `key=value` style are interpreted as HTML attributes or CSS style indications for the image. Valid keys are:
 - ◆ `align`, `valign`, `border`, `width`, `height`, `alt`, `title`, `longdesc`, `class`, `margin`, `margin-(left,right,top,bottom)`, `id` and `usemap`
 - ◆ `border`, `margin`, and `margin-*` can only be a single number (units are pixels).
 - ◆ `margin` is superseded by `center` which uses auto margins

Examples:

```
[[Image(photo.jpg)]]           # simplest
[[Image(photo.jpg, 120px)]]     # with image width size
[[Image(photo.jpg, right)]]     # aligned by keyword
[[Image(photo.jpg, nolink)]]    # without link to source
[[Image(photo.jpg, align=right)]] # aligned by attribute
```

You can use an image from a wiki page, ticket or other module.

```
[[Image(OtherPage:foo.bmp)]]    # from a wiki page
[[Image(base/sub:bar.bmp)]]     # from hierarchical wiki page
[[Image(#3:baz.bmp)]]           # from another ticket
[[Image(ticket:36:boo.jpg)]]    # from another ticket (long form)
[[Image(source:/img/bee.jpg)]]  # from the repository
[[Image(htdocs:foo/bar.png)]]   # from project htdocs dir
[[Image(shared:foo/bar.png)]]   # from shared htdocs dir (since 1.0.2)
```

Adapted from the Image.py macro created by Shun-ichi Goto <gotoh@?>

[[Include]]

A macro to include other resources in wiki pages. More documentation to follow.

[[InterTrac]]

Provide a list of known InterTrac prefixes.

[[InterWiki]]

Provide a description list for the known InterWiki prefixes.

[[KnownMimeTypes]]

List all known mime-types which can be used as WikiProcessors.

Can be given an optional argument which is interpreted as mime-type filter.

[[MacroList]]

Display a list of all installed Wiki macros, including documentation if available.

Optionally, the name of a specific macro can be provided as an argument. In that case, only the documentation for that macro will be rendered.

Note that this macro will not be able to display the documentation of macros if the `PythonOptimize` option is enabled for `mod_python`!

[[PageOutline]]

Display a structural outline of the current wiki page, each item in the outline being a link to the corresponding heading.

This macro accepts four optional parameters:

- The first is a number or range that allows configuring the minimum and maximum level of headings that should be included in the outline. For example, specifying "1" here will result in only the top-level headings being included in the outline. Specifying "2-3" will make the outline include all headings of level 2 and 3, as a nested list. The default is to include all heading levels.
- The second parameter can be used to specify a custom title (the default is no title).
- The third parameter selects the style of the outline. This can be either `inline` or `pullout` (the latter being the default). The `inline` style renders the outline as normal part of the content, while `pullout` causes the outline to be rendered in a box that is by default floated to the right side of the other content.
- The fourth parameter specifies whether the outline is numbered or not. It can be either `numbered` or `unnumbered` (the former being the default). This parameter only has an effect in `inline` style.

[[QABox]]

!QABox: A Question/Answer? Box for Trac

This processor renders a formatted question/answer box

Usage

To display the qabox on a page, you must call the !QABox processor on that page and pass question then answer. two types of !QABox are currently available: **Bug** and **Note**.

Example:

```
{{{
#!QABox type=Bug
#!question
What is a stable program?
#!answer
A program whose developer is dead!
}}}
```

Will be displayed:

Bug What is a stable program?
Solution A program whose developer is dead!

Author and License

- Copyright 2011, Jean-Paul Chaput <Jean-Paul.Chaput@?>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

[[RecentChanges]]

List all pages that have recently been modified, ordered by the time they were last modified.

This macro accepts two ordered arguments and a named argument. The named argument can be placed in any position within the argument list.

The first parameter is a prefix string: if provided, only pages with names that start with the prefix are included in the resulting list. If this parameter is omitted, all pages are included in the list.

The second parameter is the maximum number of pages to include in the list.

The `group` parameter determines how the list is presented:

`group=date`

The pages are presented in bulleted lists that are grouped by date (default).

`group=none`

The pages are presented in a single bulleted list.

Tip: if you only want to specify a maximum number of entries and don't want to filter by prefix, specify an empty first parameter, e.g. `[[RecentChanges(,10,group=none)]]`.

[[RepositoryIndex]]

Display the list of available repositories.

Can be given the following named arguments:

format

Select the rendering format:

◊ *compact* produces a comma-separated list of repository prefix names (default)

◊ *list* produces a description list of repository prefix names

◊ *table* produces a table view, similar to the one visible in the *Browse View* page

glob

Do a glob-style filtering on the repository names (defaults to '*')

order

Order repositories by the given column (one of "name", "date" or "author")

desc

When set to 1, order by descending order

(since 0.12)

[[SolveBox]]

SolveBox: The Bug/Solution? Box for Trac

This macro renders a formatted bug/solution box

Usage

To display the solvebox on a page, you must call the `SolveBox` macro on that page and pass the textcontent as argument.

Author and License

- Copyright 2011, Jean-Paul Chaput <Jean-Paul.Chaput@?> It is based on the solvebox from Bernhard Gruenewaldt (trac@?)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

[[SubscriberList]]

Display a list of all installed notification subscribers, including documentation if available.

Optionally, the name of a specific subscriber can be provided as an argument. In that case, only the documentation for that subscriber will be rendered.

Note that this macro will not be able to display the documentation of subscribers if the `PythonOptimize` option is enabled for `mod_python`!

[[TicketQuery]]

Wiki macro listing tickets that match certain criteria.

This macro accepts a comma-separated list of keyed parameters, in the form "key=value".

If the key is the name of a field, the value must use the syntax of a filter specifier as defined in [TracQuery#QueryLanguage](#). Note that this is *not* the same as the simplified URL syntax used for `query`: links starting with a `?` character. Commas (,) can be included in field values by escaping them with a backslash (\).

Groups of field constraints to be OR-ed together can be separated by a literal `or` argument.

In addition to filters, several other named parameters can be used to control how the results are presented. All of them are optional.

The `format` parameter determines how the list of tickets is presented:

- **list** -- the default presentation is to list the ticket ID next to the summary, with each ticket on a separate line.
- **compact** -- the tickets are presented as a comma-separated list of ticket IDs.
- **count** -- only the count of matching tickets is displayed
- **rawcount** -- only the count of matching tickets is displayed, not even with a link to the corresponding query (*since 1.1.1*)
- **table** -- a view similar to the custom query view (but without the controls)
- **progress** -- a view similar to the milestone progress bars

The `max` parameter can be used to limit the number of tickets shown (defaults to **0**, i.e. no maximum).

The `order` parameter sets the field used for ordering tickets (defaults to **id**).

The `desc` parameter indicates whether the order of the tickets should be reversed (defaults to **false**).

The `group` parameter sets the field used for grouping tickets (defaults to not being set).

The `groupdesc` parameter indicates whether the natural display order of the groups should be reversed (defaults to **false**).

The `verbose` parameter can be set to a true value in order to get the description for the listed tickets. For **table** format only. *deprecated in favor of the `rows` parameter*

The `rows` parameter can be used to specify which field(s) should be viewed as a row, e.g.
`rows=description|summary`

The `col` parameter can be used to specify which fields should be viewed as columns. For **table** format only.

For compatibility with Trac 0.10, if there's a last positional parameter given to the macro, it will be used to specify the format. Also, using "&" as a field separator still works (except for `order`) but is deprecated.

[[TitleIndex]]

Insert an alphabetic list of all wiki pages into the output.

Accepts a prefix string as parameter: if provided, only pages with names that start with the prefix are included in the resulting list. If this parameter is omitted, all pages are listed. If the prefix is specified, a second argument of value `hideprefix` can be given as well, in order to remove that prefix from the output.

The prefix string supports the standard relative-path notation *when using the macro in a wiki page*. A prefix string starting with `./` will be relative to the current page, and parent pages can be specified using `../`.

Several named parameters can be specified:

- `format=compact`: The pages are displayed as comma-separated links.
- `format=group`: The list of pages will be structured in groups according to common prefix. This format also supports a `min=n` argument, where `n` is the minimal number of pages for a group.
- `format=hierarchy`: The list of pages will be structured according to the page name path hierarchy. This format also supports a `min=n` argument, where higher `n` flatten the display hierarchy
- `depth=n`: limit the depth of the pages to list. If set to 0, only toplevel pages will be shown, if set to 1, only immediate children pages will be shown, etc. If not set, or set to -1, all pages in the hierarchy will be shown.
- `include=page1:page*2`: include only pages that match an item in the colon-separated list of pages. If the list is empty, or if no `include` argument is given, include all pages.
- `exclude=page1:page*2`: exclude pages that match an item in the colon- separated list of pages.

The `include` and `exclude` lists accept shell-style patterns.

[[TracAdminHelp]]

Display help for trac-admin commands.

Examples:

```
[[TracAdminHelp]]           # all commands
[[TracAdminHelp(wiki)]]     # all wiki commands
[[TracAdminHelp(wiki export)]] # the "wiki export" command
[[TracAdminHelp(upgrade)]]  # the upgrade command
```

[[TracGuideToc]]

Display a table of content for the Trac guide.

This macro shows a quick and dirty way to make a table-of-contents for the Help/Guide. The table of contents will contain the Trac* and [WikiFormatting](#) pages, and can't be customized. See the [?TocMacro](#) for a more customizable table of contents.

[[TracIni]]

Produce documentation for the Trac configuration file.

Typically, this will be used in the [TracIni](#) page. The macro accepts two ordered arguments and two named arguments.

The ordered arguments are a configuration section filter, and a configuration option name filter: only the configuration options whose section and name start with the filters are output.

The named arguments can be specified:

section
 a glob-style filtering on the section names
option
 a glob-style filtering on the option names

[[Workflow]]

Render a workflow graph.

This macro accepts a [TracWorkflow](#) configuration and renders the states and transitions as a directed graph. If no parameters are given, the current ticket workflow is rendered. In [WikiProcessors](#) mode the width and height arguments can be specified.

(Defaults: width = 800 and height = 600)

Examples:

```
[[Workflow()]]

[[Workflow(go = here -> there; return = there -> here)]]

{{{
#!Workflow width=700 height=700
leave = * -> *
leave.operations = leave_status
leave.default = 1

create = <none> -> new
create.default = 1

create_and_assign = <none> -> assigned
create_and_assign.label = assign
create_and_assign.permissions = TICKET_MODIFY
create_and_assign.operations = may_set_owner

accept = new, assigned, accepted, reopened -> accepted
accept.permissions = TICKET_MODIFY
accept.operations = set_owner_to_self

resolve = new, assigned, accepted, reopened -> closed
resolve.permissions = TICKET_MODIFY
resolve.operations = set_resolution
}}
```



```

reassign = new,assigned,accepted,reopened -> assigned
reassign.permissions = TICKET_MODIFY
reassign.operations = set_owner

reopen = closed -> reopened
reopen.permissions = TICKET_CREATE
reopen.operations = del_resolution
}}}
```

[[protected-green]]

Aliases: [[protected]] [[protected-red]] [[protected-blue]]

A Trac macro to limit access to parts of a trac page.

Contributed macros

The [?Trac Hacks](#) site provides a large collection of macros and other Trac [plugins](#) contributed by the Trac community. If you are looking for new macros, or have written one that you would like to share, please visit that site.

Developing Custom Macros

Macros, like Trac itself, are written in the [?Python programming language](#) and are a type of [plugin](#).

Here are 2 simple examples showing how to create a Macro. For more information about developing macros, see the [?development resources](#) and [?sample-plugins](#).

Macro without arguments

To test the following code, copy it to `timestamp_sample.py` in the [TracEnvironment](#)'s `plugins/` directory.

```

from trac.util.datefmt import datetime_now, format_datetime, utc
from trac.util.html import tag
from trac.wiki.macros import WikiMacroBase

class TimestampMacro(WikiMacroBase):
    _description = "Inserts the current time (in seconds) into the wiki page."

    def expand_macro(self, formatter, name, content, args=None):
        t = datetime_now(utc)
        return tag.strong(format_datetime(t, '%c'))
```

Macro with arguments

To test the following code, copy it to `helloworld_sample.py` in the [TracEnvironment](#)'s `plugins/` directory.

```

from trac.util.translation import cleandoc_
from trac.wiki.macros import WikiMacroBase

class HelloWorldMacro(WikiMacroBase):
    _description = cleandoc_(
        """Simple HelloWorld macro.

        Note that the name of the class is meaningful:
```

- it must end with "Macro"
- what comes before "Macro" ends up being the macro name

The documentation of the class (i.e. what you're reading) will become the documentation of the macro, as shown by the `!MacroList` macro (usually used in the WikiMacros page).

```
"""
```

```
def expand_macro(self, formatter, name, content, args=None):
    """Return some output that will be displayed in the Wiki content.

    `name` is the actual name of the macro (no surprise, here it'll be
    `HelloWorld`),
    `content` is the text enclosed in parenthesis at the call of the
    macro. Note that if there are 'no' parenthesis (like in, e.g.
    [[HelloWorld]]), then `content` is `None`.
    `args` will contain a dictionary of arguments when called using the
    Wiki processor syntax and will be `None` if called using the
    macro syntax.
    """
    return 'Hello World, content = ' + unicode(content)
```

Note that `expand_macro` optionally takes a 4th parameter `args`. When the macro is called as a [WikiProcessor](#), it is also possible to pass key=value [processor parameters](#). If given, those are stored in a dictionary and passed in this extra `args` parameter. When called as a macro, `args` is `None`.

For example, when writing:

```
{{{#!HelloWorld style="polite" -silent verbose
<Hello World!>
}}}

{{{#!HelloWorld
<Hello World!>
}}}

[[HelloWorld(<Hello World!>)]]
```

One should get:

```
Hello World, text = <Hello World!>, args = {'style': u'polite', 'silent': False, 'verbose': True}
Hello World, text = <Hello World!>, args = {}
Hello World, text = <Hello World!>, args = None
```

Note that the return value of `expand_macro` is **not** HTML escaped. Depending on the expected result, you should escape it yourself (using `return Markup.escape(result)`), or if this is indeed HTML, wrap it in a Markup object: `return Markup(result)` (from `trac.util.html` import `Markup`).

You can also recursively use a wiki formatter to process the content as wiki markup:

```
from trac.wiki.formatter import format_to_html
from trac.wiki.macros import WikiMacroBase

class HelloWorldMacro(WikiMacroBase):
    def expand_macro(self, formatter, name, content, args):
        content = "any 'wiki' markup you want, even containing other macros"
        # Convert Wiki markup to HTML
        return format_to_html(self.env, formatter.context, content)
```